









FRONT VIEW



TOP VIEW


NOT TO SCALE

ALUMINUM PROFILES




QTY 2: S1105.01 - ALUMINUM LEG


COUNTER TOP



HARDWARE



QTY 1: BACKWALL L-BRACKET
(ships connected to backwall posts, when ordered with backwall)



QTY 4: LEG L-BRACKET
(permanently secured to legs -
(2) per leg)



QTY 4: 5/16-18 3/4" SPADE HEAD SCREW



QTY 2: 1/4-20 3/8" THUMB SCREW




QTY 2: M5 HAMMER HEAD SCREW
(used to secure backwall l-bracket)




QTY 2: M5 LOCKNUT
(used to secure backwall l-bracket)


Attach counter legs #001 & #002 to base plate using (1) thumb screw per leg.



REAR VIEW



BACKWALL STRUCTURE IS NOT SHOWN.



If counter ordered separately from backwall.


Attach provided Backwall L-Bracket to backwall post at 37-3/4" high from base plate using (2) hammerheads screws and (2) locknuts.

1. Place counter top over (2) posts and backwall bracket.

2. Optional: if used with front graphic fill panel, insert graphic panel into posts' channels before securing counter top.

3. Line up inserts underneath of counter top with holes on brackets and secure top with (4) spread head screws from underneath.

Note:
If needed loosen base plate thumb screws to align holes on top.



COUNTER ONLY CASE

CRATE COVER

PADDED BAG:
Hardware & Tools

SECOND LAYER:
Optional:
Front Graphic Panel


FIRST LAYER:
Counter Top
Right Leg
Left Leg

CRATE BASE



NOTE:
**DO NOT DISCARD ANY
PACKING MATERIALS. USE
ALL PACKING MATERIALS IN
SAME MANNER AS THEY
WERE RECEIVED.**

**IF ORDERED WITH MAIN UNIT ASSEMBLY
COUNTER FOAM TRAYS PLACED ON TOP
LAYER.**



MAIN UNIT PACKING