

Certificate of Flame Resistance



NAME/CO: ABEX DISPLAY SYSTEMS

ADDRESS: _____

This is to certify that the material(s) described herein have been flame retardant treated (or are inherently flame resistant).
 Certification is hereby made that: (Check "a", "b" or "c")

☐ (a) The article described on this certificate has been treated with a flame retardant chemical approved and reg., by the State Fire Marshal and that the application of said chemical was done in conformance with the laws of the state of California and the rules and regulations of the State Fire Marshal. The warranted period of effectiveness is guaranteed for one year. The fabric has been tested and complies with NFPA 701 Small Scale.

Name of chemical used _____

Chem. Reg. No. _____

Method of application _____

Date Processed _____

☒ (b) The article described on the certificate has been treated with a durable flame retardant process. This fabric complies with NFPA 701 Small Scale and has been registered and approved by the State Fire Marshal for this use. The flame retardant process used WILL NOT Be Removed By Washing.

(will or will not)

Trade name of flame resistant fabric or material used CLASSIC VELVET/VELOUR Reg. No. FA-07313

☐ (c) The article described on the certificate has been manufactured using an inherently flame resistant fiber and this fabric will remain flame resistant for the length of its service life. The fabric complies with the NFPA 701 Small Scale and has been registered and approved by the State Fire Marshal for this use. The flame retardant process used WILL NOT be removed by washing. Reg. No. _____

STYLE:

CARBONIGHT

COLOR:

BLACK/WHITE

QUANTITY: 58

LOT#'S:

BS103030/BS014004/SW024019

CUST. PO#:

INVOICE#: 12993-004

DATE:

2-10-06

BY: _____

JOHN WEINGARTEN

Dazian LLC

7120 CASE AVE.

NO. HOLLYWOOD, CA 91606